

Map symbol	Soil name	Acres	Percent
BeF	Berks channery silt loam, 25 to 70 percent slopes-----	476	0.2
BgA	Bogart loam, 0 to 2 percent slopes-----	400	0.1
BgB	Bogart loam, 2 to 6 percent slopes-----	1,809	0.7
BhB	Bogart-Haskins loams, 2 to 6 percent slopes-----	320	0.1
Ca	Canadice silty clay loam-----	1,567	0.6
Cb	Chagrin loam, alkaline phase-----	1	*
CcA	Caneadea silt loam, 0 to 2 percent slopes-----	603	0.2
CcB	Caneadea silt loam, 2 to 6 percent slopes-----	1,812	0.7
CdA	Canfield silt loam, 0 to 2 percent slopes-----	853	0.3
CdB	Canfield silt loam, 2 to 6 percent slopes-----	18,478	6.9
CdC	Canfield silt loam, 6 to 12 percent slopes-----	862	0.3
CdC2	Canfield silt loam, 6 to 12 percent slopes, eroded-----	1,165	0.4
Ce	Canadice silt loam-----	116	*
CeB	Canfield silt loam, sandstone substratum, 2 to 6 percent slopes-----	275	0.1
CfB	Canfield-Urban land complex, 2 to 6 percent slopes-----	10,596	3.9
CfC	Canfield-Urban land complex, 6 to 12 percent slopes-----	2,904	1.1
Cg	Carlisle muck-----	6,396	2.4
Ch	Chagrin silt loam-----	547	0.2
Ck	Chagrin silt loam, alkaline-----	1,796	0.7
Cm	Chagrin-Urban land complex-----	242	*
CnA	Chili loam, 0 to 2 percent slopes-----	1,804	0.7
CnB	Chili loam, 2 to 6 percent slopes-----	10,512	3.9
CnC	Chili loam, 6 to 12 percent slopes-----	2,675	1.0
CoC	Chili gravelly loam, 6 to 12 percent slopes-----	3	*
CoC2	Chili gravelly loam, 6 to 12 percent slopes, moderately eroded-----	4,940	1.8
CoD2	Chili gravelly loam, 12 to 18 percent slopes, moderately eroded-----	2,461	0.9
CoE2	Chili gravelly loam, 12 to 25 percent slopes, moderately eroded-----	43	*
CpA	Chili silt loam, 0 to 2 percent slopes-----	857	0.3
CpB	Chili silt loam, 2 to 6 percent slopes-----	3,922	1.5
CpC	Chili silt loam, 6 to 12 percent slopes-----	1,503	0.6
CpC2	Chili silt loam, 6 to 12 percent slopes, moderately eroded-----	26	*
CsB	Conotton gravelly loam, 2 to 6 percent slopes-----	1	*
CsC	Conotton gravelly loam, 6 to 12 percent slopes-----	2	*
CsD2	Conotton gravelly loam, 12 to 18 percent slopes, moderately eroded-----	3	*
CtF2	Chili and Conotton gravelly loams, 25 to 50 percent slopes, moderately eroded-----	5	*
CuB	Chili-Urban land complex, undulating-----	11,522	4.3
CuC	Chili-Urban land complex, rolling-----	3,712	1.4
CvF	Chili-Oshtemo complex, 25 to 50 percent slopes-----	18	*
CwC2	Chili-Wooster complex, 6 to 12 percent slopes, moderately eroded-----	449	0.2
CwD2	Chili-Wooster complex, 12 to 18 percent slopes, moderately eroded-----	275	0.1
CwE2	Chili-Wooster complex, 18 to 25 percent slopes, moderately eroded-----	232	*
CyD	Conotton-Oshtemo complex, 12 to 18 percent slopes-----	991	0.4
CyE	Conotton-Oshtemo complex, 18 to 25 percent slopes-----	914	0.3
CyF	Conotton-Oshtemo complex, 25 to 50 percent slopes-----	710	0.3
Da	Damascus loam-----	1,390	0.5
DkC	Dekalb sandy loam, 6 to 12 percent slopes-----	285	0.1
DkD	Dekalb sandy loam, 12 to 18 percent slopes-----	402	0.1
DkE	Dekalb sandy loam, 18 to 25 percent slopes-----	397	0.1
DkF	Dekalb sandy loam, 25 to 70 percent slopes-----	591	0.2
EhD2	Ellsworth silt loam, 12 to 18 percent slopes, eroded-----	24	*
ElB	Ellsworth silt loam, 2 to 6 percent slopes-----	11,179	4.2
ElB2	Ellsworth silt loam, 2 to 6 percent slopes, eroded-----	15	*
ElC	Ellsworth silt loam, 6 to 12 percent slopes-----	1,277	0.5
ElC2	Ellsworth silt loam, 6 to 12 percent slopes, eroded-----	6,131	2.3
ElE2	Ellsworth silt loam, 12 to 25 percent slopes, eroded-----	2,219	0.8
ElF	Ellsworth silt loam, 25 to 70 percent slopes-----	24	*
ElF2	Ellsworth silt loam, 25 to 50 percent slopes, eroded-----	3,521	1.3
EsB	Ellsworth silt loam, sandstone substratum, 2 to 6 percent slopes-----	176	*
EsC	Ellsworth silt loam, sandstone substratum, 6 to 12 percent slopes-----	86	*
EuB	Ellsworth-Urban land complex, 2 to 6 percent slopes-----	1,500	0.6
EuC	Ellsworth-Urban land complex, 6 to 18 percent slopes-----	554	0.2

See footnote at end of table.

Acres and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
FcA	Fitchville silt loam, 0 to 2 percent slopes-----	2,981	1.1
FcB	Fitchville silt loam, 2 to 6 percent slopes-----	1,861	0.7
FlA	Fitchville silt loam, low terrace, 0 to 2 percent slopes-----	2	*
Fn	Fitchville-Urban land complex-----	1,082	0.4
Fr	Frenchtown silt loam-----	405	0.2
GbB	Geeburg silt loam, 2 to 6 percent slopes-----	837	0.3
GbC	Geeburg silt loam, 6 to 18 percent slopes-----	16	*
GbC2	Geeburg silt loam, 6 to 12 percent slopes, moderately eroded-----	650	0.2
GbD2	Geeburg silt loam, 12 to 18 percent slopes, moderately eroded-----	313	0.1
GfA	Glenford silt loam, 0 to 2 percent slopes-----	286	0.1
GfB	Glenford silt loam, 2 to 6 percent slopes-----	2,093	0.8
GfC2	Glenford silt loam, 6 to 12 percent slopes, moderately eroded-----	1,028	0.4
GfD2	Glenford silt loam, 12 to 18 percent slopes, moderately eroded-----	648	0.2
GoB	Glenford-Urban land complex, undulating-----	724	0.3
GoC	Glenford-Urban land complex, rolling-----	141	*
HcB	Haskins-Caneadea complex, 2 to 6 percent slopes-----	305	0.1
Ho	Holly silt loam-----	3,464	1.3
Hy	Holly silt loam, alkaline-----	1,198	0.4
JtA	Jimtown loam, 0 to 2 percent slopes-----	2,015	0.7
JtB	Jimtown loam, 2 to 6 percent slopes-----	609	0.2
Ju	Jimtown-Urban land complex-----	882	0.3
Kk	Killbuck silt loam-----	1	*
Ld	Linwood muck-----	330	0.1
Le	Lobdell silt loam-----	992	0.4
Ln	Lorain silty clay loam-----	1,318	0.5
LoB	Loudonville silt loam, 2 to 6 percent slopes-----	1,267	0.5
LoC	Loudonville silt loam, 6 to 12 percent slopes-----	952	0.4
LoC2	Loudonville silt loam, 6 to 12 percent slopes, moderately eroded-----	701	0.3
LoD	Loudonville silt loam, 12 to 18 percent slopes-----	809	0.3
LoD2	Loudonville silt loam, 12 to 18 percent slopes, moderately eroded-----	5	*
LoE	Loudonville silt loam, 18 to 25 percent slopes-----	243	*
LoE2	Loudonville silt loam, 12 to 25 percent slopes, moderately eroded-----	1	*
LuC	Loudonville-Urban land complex, rolling-----	506	0.2
Ly	Luray silt loam-----	1,303	0.5
MgA	Mahoning silt loam, 0 to 2 percent slopes-----	3,732	1.4
MgB	Mahoning silt loam, 2 to 6 percent slopes-----	11,613	4.3
MlB	Mahoning silt loam, sandstone substratum, 2 to 6 percent slopes-----	797	0.3
Mn	Mahoning-Urban land complex, 0 to 2 percent slopes-----	2,549	0.9
MtB	Mitiwanga silt loam, 2 to 6 percent slopes-----	238	*
Od	Olmsted loam-----	957	0.4
Or	Orrville silt loam-----	1,550	0.6
OsA	Oshtemo sandy loam, 0 to 2 percent slopes-----	246	*
OsB	Oshtemo sandy loam, 2 to 6 percent slopes-----	1,354	0.5
Osc	Oshtemo sandy loam, 6 to 12 percent slopes-----	726	0.3
Pg	Pits, gravel-----	1,158	0.4
Pq	Pits, quarry-----	101	*
ReA	Ravenna silt loam, 0 to 2 percent slopes-----	2,950	1.1
ReB	Ravenna silt loam, 2 to 6 percent slopes-----	2,620	1.0
Rn	Ravenna-Urban land complex-----	1,020	0.4
RsB	Rittman silt loam, 2 to 6 percent slopes-----	10,450	3.9
RsC	Rittman silt loam, 6 to 12 percent slopes-----	1,201	0.4
Rsc2	Rittman silt loam, 6 to 12 percent slopes, moderately eroded-----	3,624	1.3
RsD	Rittman silt loam, 12 to 18 percent slopes-----	337	0.1
RsD2	Rittman silt loam, 12 to 18 percent slopes, moderately eroded-----	759	0.3
RsE2	Rittman silt loam, 18 to 25 percent slopes, moderately eroded-----	222	*
RtB	Rittman silt loam, sandstone substratum, 2 to 6 percent slopes-----	451	0.2
RtC	Rittman silt loam, sandstone substratum 6 to 12 percent slopes-----	208	*
RuB	Rittman-Urban land complex, undulating-----	806	0.3
RuC	Rittman-Urban land complex, rolling-----	185	*
Rv	Rough broken land, clay and silt-----	4,460	1.7
Rw	Rough broken land, silt and sand-----	2,799	1.0
Sb	Sebring silt loam-----	6,414	2.4
Sc	Shale rock land-----	244	*

See footnote at end of table.

Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
Sh	Sebring silt loam, till substratum-----	1	*
So	Sloan silt loam-----	943	0.4
Tg	Tioga loam-----	557	0.2
Tr	Trumbull silt loam, 0 to 2 percent slopes-----	1,724	0.6
Ua	Udorthents-----	3,179	1.2
Uc	Udorthents, chemical waste-----	898	0.3
Ud	Udorthents, loamy-----	96	*
Uf	Udorthents, sanitary landfill-----	5,041	1.9
Up	Udorthents-pits complex-----	402	0.1
Ur	Urban land-----	4,043	1.5
W	Water-----	5,069	1.9
WaA	Wadsworth silt loam, 0 to 2 percent slopes-----	2,509	0.9
WaB	Wadsworth silt loam, 2 to 6 percent slopes-----	4,649	1.7
Wb	Wadsworth-Urban land complex-----	444	0.2
Wc	Wallkill silt loam-----	241	*
WhB	Weinbach silt loam, 2 to 6 percent slopes-----	1	*
WmC2	Wheeling loam, 6 to 12 percent slopes, moderately eroded-----	1	*
WrA	Wheeling silt loam, 0 to 2 percent slopes-----	517	0.2
WrB	Wheeling silt loam, 2 to 6 percent slopes-----	1,702	0.6
Wt	Willette muck-----	419	0.2
WuB	Wooster silt loam, 2 to 6 percent slopes-----	5,136	1.9
WuC	Wooster silt loam, 6 to 12 percent slopes-----	1,408	0.5
WuC2	Wooster silt loam, 6 to 12 percent slopes, moderately eroded-----	4,796	1.8
WuD	Wooster silt loam, 12 to 18 percent slopes-----	324	0.1
WuD2	Wooster silt loam, 12 to 18 percent, moderately eroded-----	1,092	0.4
WuE2	Wooster silt loam, 18 to 25 percent slopes, moderately eroded-----	356	0.1
WuF2	Wooster silt loam, 25 to 50 percent slopes, moderately eroded-----	105	*
WvC2	Wooster silt loam, sandstone substratum, 6 to 12 percent slopes, moderately eroded-----	110	*
WvD2	Wooster silt loam, sandstone substratum, 12 to 18 percent slopes, moderately eroded-----	178	*
WwD	Wooster-Urban land complex, hilly-----	300	0.1
WxE2	Wooster silt loam, 12 to 25 percent slopes, moderately eroded-----	8	*
WyB	Wooster-Riddles silt loams, 2 to 6 percent slopes-----	178	*
WyC	Wooster-Riddles silt loams, 6 to 12 percent slopes-----	2	*
WyC2	Wooster-Riddles silt loams, 6 to 12 percent slopes, eroded-----	39	*
WyD2	Wooster-Riddles silt loams, 12 to 18 percent slopes, eroded-----	31	*
	Total-----	268,807	100.0

\* Less than 0.1 percent.